

**RNAV 1 (GNSS)
STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAO**

**GDAŃSK Lech Walesa
RWY 11**

VAPOS 1B

PDG 7% REQUIRED DUE TO OPERATIONAL REASONS UP TO GD423

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	GD421	-	108 (113.0)	7.00	-	+3300 ft	-220	RNAV 1
002	TF	GD422	-	017 (022.5)	10.25	-	-FL90	-220	RNAV 1
003	TF	UGNUR	-	288 (292.6)	19.43	-	+FL150	-	RNAV 1
004	TF	GD423	-	287 (292.1)	5.00	-	-	-	RNAV 1
005	TF	VAPOS	-	306 (311.1)	14.47	-	-	-	RNAV 1

SONUX 1B

PDG 7% REQUIRED DUE TO OPERATIONAL REASONS UNTIL FL90

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	GD411	-	108 (113.0)	4.30	-	+2100 ft	-210	RNAV 1
002	TF	GD412	-	198 (203.0)	5.00	-	+4000 ft	-220	RNAV 1
003	TF	EVNOB	-	265 (269.7)	12.82	-	-	-	RNAV 1
004	TF	GD413	-	288 (293.5)	5.05	-	-FL100	-	RNAV 1
005	TF	SONUX	-	272 (277.2)	22.48	-	-	-	RNAV 1

DEXIR 1B

PDG 7% REQUIRED DUE TO OPERATIONAL REASONS UNTIL FL90

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	GD411	-	108 (113.0)	4.30	-	+2100 ft	-210	RNAV 1
002	TF	GD412	-	198 (203.0)	5.00	-	+4000 ft	-220	RNAV 1
003	TF	EVNOB	-	265 (269.7)	12.82	-	-	-	RNAV 1
004	TF	GD413	-	288 (293.5)	5.05	-	-FL100	-	RNAV 1
005	TF	DEXIR	-	253 (258.4)	21.72	-	-	-	RNAV 1

IRLUN 1B

PDG 7% REQUIRED DUE TO OPERATIONAL REASONS UP TO GD431

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	GD421	-	108 (113.0)	7.00	-	+3300 ft	-220	RNAV 1
002	TF	GD431	-	179 (183.6)	23.43	-	Expect FL130	-	RNAV 1
003	TF	IRLUN	-	179 (183.5)	11.21	-	-FL170	-	RNAV 1

NIKMI 1B

PDG 7% REQUIRED DUE TO OPERATIONAL REASONS UNTIL FL90

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	GD421	-	108 (113.0)	7.00	-	+3300 ft	-	RNAV 1
002	TF	NIKMI	-	109 (114.1)	18.15	-	-FL100	-	RNAV 1

WAYPOINT IDENTIFIER	COORDINATES	
DEXIR	54°13'27.0"N	017°26'56.0"E
NIKMI	54°12'04.7"N	019°08'42.3"E
SONUX	54°20'36.0"N	017°25'05.0"E
VAPOS	54°47'43.0"N	017°49'36.0"E
IRLUN	53°45'02.1"N	018°36'53.5"E
EVNOB	54°15'53.9"N	018°11'04.7"E
UGNUR	54°36'22.2"N	018°16'22.8"E
DER11 (RW29)	54°22'16.6"N	018°29'30.2"E
GD411	54°20'36.0"N	018°36'15.9"E
GD412	54°16'00.4"N	018°32'55.7"E
GD413	54°17'54.1"N	018°03'10.5"E
GD421	54°19'32.6"N	018°40'30.5"E
GD422	54°28'59.7"N	018°47'13.4"E
GD423	54°38'14.7"N	018°08'24.9"E
GD431	53°56'12.3"N	018°38'03.1"E