

**RNAV 1  
STANDARD DEPARTURE CHART  
INSTRUMENT (SID) - ICAO**

**WARSZAWA/Modlin  
RWY 08  
BAMSO 1B**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	MO866	-	076 (081.3)	5.3	-	-	-200	RNAV 1
002	TF	MO822	-	346 (351.0)	4.1	-	-	-200	RNAV 1
003	TF	MO864	-	256 (261.4)	5.0	-	-	-250	RNAV 1
004	TF	MOL	-	166 (171.3)	4.2	-	+4000 ft	-250	RNAV 1
005	TF	MO946	-	108 (113.4)	5.1	-	+6000 ft	-	RNAV 1
006	TF	MO947	-	081 (086.2)	5.1	-	+7000 ft	-	RNAV 1
007	TF	BITVA	-	127 (131.6)	7.0	-	+FL090	-	RNAV 1
008	TF	WA571	-	089 (094.4)	13.1	-	-	-	RNAV 1
009	TF	BAMSO	-	083 (088.4)	17.2	-	-	-	RNAV 1

**RNAV 1  
STANDARD DEPARTURE CHART  
INSTRUMENT (SID) - ICAO****WARSZAWA/Modlin  
RWY 08  
OLILA 1B**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	MO866	-	076 (081.3)	5.3	-	-	-200	RNAV 1
002	TF	MO822	-	346 (351.0)	4.2	-	-	-	RNAV 1
003	TF	RODEV	-	291 (295.7)	9.7	-	-	-	RNAV 1
004	TF	OLILA	-	301 (306.0)	10.3	-	+FL100	-	RNAV 1

**RNAV 1  
STANDARD DEPARTURE CHART  
INSTRUMENT (SID) - ICAO**

**WARSZAWA/Modlin  
RWY 08  
LOLSI 1B**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	MO866	-	076 (081.3)	5.3	-	-	-200	RNAV 1
002	TF	MO822	-	346 (351.0)	4.1	-	-	-200	RNAV 1
003	TF	MO864	-	256 (261.4)	5.0	-	-	-250	RNAV 1
004	TF	MOL	-	166 (171.3)	4.2	-	+4000 ft	-250	RNAV 1
005	TF	MO946	-	108 (113.4)	5.1	-	+6000 ft	-	RNAV 1
006	TF	MO947	-	081 (086.2)	5.1	-	+7000 ft	-	RNAV 1
007	TF	MO362	-	147 (152.4)	6.7	-	-	-	RNAV 1
008	TF	WA708	-	234 (238.9)	15.9	-	-	-	RNAV 1
009	TF	MAKUS	-	245 (250.2)	6.2	-	-	-	RNAV 1
010	TF	WA754	-	269 (273.9)	6.2	-	+FL100	-	RNAV 1
011	TF	LOLSI	-	269 (273.8)	17.1	-	-	-	RNAV 1

**RNAV 1  
STANDARD DEPARTURE CHART  
INSTRUMENT (SID) - ICAO**

**WARSZAWA/Modlin  
RWY 08  
SOXER 1B**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	MO866	-	076 (081.3)	5.3	-	-	-200	RNAV 1
002	TF	MO822	-	346 (351.0)	4.1	-	-	-200	RNAV 1
003	TF	MO864	-	256 (261.4)	5.0	-	-	-250	RNAV 1
004	TF	MOL	-	166 (171.3)	4.2	-	+4000 ft	-250	RNAV 1
005	TF	MO946	-	108 (113.4)	5.1	-	+6000 ft	-	RNAV 1
006	TF	MO947	-	081 (086.2)	5.1	-	+7000 ft	-	RNAV 1
007	TF	MO362	-	147 (152.4)	6.7	-	-	-	RNAV 1
008	TF	WA708	-	234 (238.9)	15.9	-	-	-	RNAV 1
009	TF	MAKUS	-	245 (250.2)	6.2	-	-	-	RNAV 1
010	TF	WA756	-	248 (252.9)	4.8	-	+FL100	-	RNAV 1
011	TF	SOXER	-	248 (252.8)	17.1	-	-	-	RNAV 1

**RNAV 1  
STANDARD DEPARTURE CHART  
INSTRUMENT (SID) - ICAO**

**WARSZAWA/Modlin  
RWY 08  
EVINA 1B**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	MO866	-	076 (081.3)	5.3	-	-	-200	RNAV 1
002	TF	MO822	-	346 (351.0)	4.1	-	-	-200	RNAV 1
003	TF	MO864	-	256 (261.4)	5.0	-	-	-250	RNAV 1
004	TF	MOL	-	166 (171.3)	4.2	-	+4000 ft	-250	RNAV 1
005	TF	MO946	-	108 (113.4)	5.1	-	+6000 ft	-	RNAV 1
006	TF	MO947	-	081 (086.2)	5.1	-	+7000 ft	-	RNAV 1
007	TF	MO362	-	147 (152.4)	6.7	-	-	-	RNAV 1
008	TF	WA708	-	234 (238.9)	15.9	-	-	-	RNAV 1
009	TF	MAKUS	-	245 (250.2)	6.2	-	-	-	RNAV 1
010	TF	EVDEX	-	185 (189.5)	12.6	-	-	-	RNAV 1
011	TF	NIPUS	-	180 (185.4)	17.7	-	+FL180	-	RNAV 1
012	TF	EVINA	-	180 (185.4)	16.0	-	-	-	RNAV 1

**RNAV 1  
STANDARD DEPARTURE CHART  
INSTRUMENT (SID) - ICAO**

**WARSZAWA/Modlin  
RWY 08  
XIMBA 1B**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	MO866	-	076 (081.3)	5.3	-	-	-200	RNAV 1
002	TF	MO822	-	346 (351.0)	4.1	-	-	-200	RNAV 1
003	TF	MO864	-	256 (261.4)	5.0	-	-	-250	RNAV 1
004	TF	MOL	-	166 (171.3)	4.2	-	+4000 ft	-250	RNAV 1
005	TF	MO946	-	108 (113.4)	5.1	-	+6000 ft	-	RNAV 1
006	TF	MO947	-	081 (086.2)	5.1	-	+7000 ft	-	RNAV 1
007	TF	MO362	-	147 (152.4)	6.7	-	-	-	RNAV 1
008	TF	WA708	-	234 (238.9)	15.9	-	-	-	RNAV 1
009	TF	MAKUS	-	245 (250.2)	6.2	-	-	-	RNAV 1
010	TF	EVDEX	-	185 (189.5)	12.6	-	-	-	RNAV 1
011	TF	EREDA	-	125 (129.7)	9.2	-	-	-	RNAV 1
012	TF	XENOM	-	134 (139.3)	6.5	-	-	-	RNAV 1
013	TF	TISTA	-	089 (093.8)	14.9	-	+FL170	-	RNAV 1
014	TF	XIMBA	-	113 (118.0)	11.9	-	-	-	RNAV 1

WAYPOINT IDENTIFIER	COORDINATES	
BAMSO	52°20'09.1"	021°54'34.5"
BITVA	52°20'46.0"	021°05'11.3"
EREDA	51°50'54.1"	020°38'04.0"
EVDEX	51°56'46.5"	020°26'40.6"
EVINA	51°23'16.0"	020°21'36.0"
LOLSI	52°10'38.9"	019°52'17.0"
MAKUS	52°09'10.0"	020°30'03.0"
MO362	52°19'29.8"	021°01'40.0"
MO822	52°32'00.8"	020°47'47.4"
MO864	52°31'15.2"	020°39'37.9"
MO866	52°27'58.9"	020°48'50.5"
MO946	52°25'06.5"	020°48'19.7"
MO947	52°25'26.2"	020°56'35.9"
MOL	52°27'08.6"	020°40'40.0"
NIPUS	51°39'10.8"	020°23'59.8"
OLILA	52°42'16.0"	020°19'42.0"
RODEV	52°36'12.2"	020°33'27.2"
SOXER	52°02'37.8"	019°56'05.9"
TISTA	51°44'56.0"	021°08'50.5"
WA571	52°19'44.0"	021°26'32.0"
WA708	52°11'16.0"	020°39'31.7"
WA754	52°09'34.9"	020°19'58.8"
WA756	52°07'44.9"	020°22'35.8"
XENOM	51°45'57.5"	020°44'54.5"
XIMBA	51°39'21.0"	021°25'40.0"

STRONA WOLNA

INTENTIONALLY LEFT BLANK